



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067001

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SJIAN
 WISCONSIN DNR

Customer ID: FH015

Field #:	143344	ID#:	143344
Project No:		Sample Location:	HUSTISFORD SKI CLUB DOCK
Collection End:	6/12/2018 4:05:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	6/13/2018	Point or Outfall:	
Date Reported:	6/14/2018	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 06/13/18 0927

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 06/13/18	Analysis Date 06/14/18				
E. Coli	SM9223BMPN	7	MPN/100 mL		1

List of Abbreviations:

LOD = Level of detection
 LOQ = Level of quantification
 ND = None detected. Results are less than the LOD
 F next to result = Result is between LOD and LOQ
 Z next to result = Result is between 0 (zero) and LOD
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
 Results relate only to the items tested.
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067001

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067002

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SJIAN
 WISCONSIN DNR

Customer ID: FH015

Field #: 143345
 Project No:
 Collection End: 6/12/2018 4:05:00 PM
 Collection Start:
 Collected By: DAVE BEHL
 Date Received: 6/13/2018
 Date Reported: 6/14/2018
 Sample Reason:

ID#: 143345
 Sample Location: NEIDER PARK LANDING
 Sample Description:
 Sample Type: SU-SURFACE WATER
 Waterbody: 859900
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 06/13/18 0927

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 06/13/18 Analysis Date 06/14/18					
E. Coli	SM9223BMPN	127	MPN/100 mL		1

List of Abbreviations:

LOD = Level of detection
 LOQ = Level of quantification
 ND = None detected. Results are less than the LOD
 F next to result = Result is between LOD and LOQ
 Z next to result = Result is between 0 (zero) and LOD
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
 Results relate only to the items tested.
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067002

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067003

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SJIAN
 WISCONSIN DNR

Customer ID: FH015

Field #: 143347
 Project No:
 Collection End: 6/12/2018 4:05:00 PM
 Collection Start:
 Collected By: DAVE BEHL
 Date Received: 6/13/2018
 Date Reported: 6/14/2018
 Sample Reason:

ID#: 143347
 Sample Location: ROCK RIVER - RIVER BEND PARK
 LAUNCH
 Sample Description:
 Sample Type: SU-SURFACE WATER
 Waterbody: 788800
 Point or Outfall:
 Sample Depth:
 Program Code: WT
 Region Code: 1
 County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 06/13/18 0927

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 06/13/18	Analysis Date 06/14/18				
E. Coli	SM9223BMPN	11	MPN/100 mL		1

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067003

List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: E37658 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067004

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SJIAN
 WISCONSIN DNR

Customer ID: FH015

Field #:	143348	ID#:	143348
Project No:		Sample Location:	BUTTERNUT ISLAND
Collection End:	6/12/2018 4:05:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	6/13/2018	Point or Outfall:	
Date Reported:	6/14/2018	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 06/13/18 0927

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 06/13/18	Analysis Date 06/14/18				
E. Coli	SM9223BMPN	25	MPN/100 mL		1

List of Abbreviations:

LOD = Level of detection
 LOQ = Level of quantification
 ND = None detected. Results are less than the LOD
 F next to result = Result is between LOD and LOQ
 Z next to result = Result is between 0 (zero) and LOD
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
 Results relate only to the items tested.
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 388067004

Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270