

Environmental Health Division

WDNR LAB ID: 113133790      NELAP LAB ID: E37658      EPA LAB ID: WI00007, WI00008      WI DATCP ID: 105-415

**WSLH Sample: 383353001**

Report To:  
DAVID BEHL  
LAKE SINISSIPPI IMPROVEMENT DISTRICT  
N5112 ARROWHEAD TRAIL  
JUNEAU, WI 53039

Invoice To:  
ZANA SJIAN  
WISCONSIN DNR

Customer ID: FH015

Field #:	BUTTERNUT ISLAND	ID#:	143348
Project No:		Sample Location:	BUTTERNUT ISLAND
Collection End:	5/21/2018 4:15:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	5/22/2018	Point or Outfall:	
Date Reported:	5/23/2018	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 05/22/18 0932

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 05/22/18	Analysis Date 05/23/18				
E. Coli	SM9223BMPN	20	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
LOQ = Level of quantification  
ND = None detected. Results are less than the LOD  
F next to result = Result is between LOD and LOQ  
Z next to result = Result is between 0 (zero) and LOD  
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 383353001**

## Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790    NELAP LAB ID: E37658    EPA LAB ID: WI00007, WI00008    WI DATCP ID: 105-415

## WSLH Sample: 383349001

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SJIAN  
 WISCONSIN DNR

Customer ID: FH015

Field #: NEIDER PARK LANDING  
 Project No:  
 Collection End: 5/21/2018 4:15:00 PM  
 Collection Start:  
 Collected By: DAVE BEHL  
 Date Received: 5/22/2018  
 Date Reported: 5/23/2018  
 Sample Reason:

ID#: 143345  
 Sample Location: NEIDER PARK LANDING  
 Sample Description:  
 Sample Type: SU-SURFACE WATER  
 Waterbody: 859900  
 Point or Outfall:  
 Sample Depth:  
 Program Code:  
 Region Code:  
 County: 14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 05/22/18 0932

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 05/22/18    Analysis Date 05/23/18					
E. Coli	SM9223BMPN	46	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
 LOQ = Level of quantification  
 ND = None detected. Results are less than the LOD  
 F next to result = Result is between LOD and LOQ  
 Z next to result = Result is between 0 (zero) and LOD  
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>  
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.  
 Results relate only to the items tested.  
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.  
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 383349001**

## Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790    NELAP LAB ID: E37658    EPA LAB ID: WI00007, WI00008    WI DATCP ID: 105-415

**WSLH Sample: 383350001**

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SJIAN  
 WISCONSIN DNR

Customer ID: FH015

Field #: RIVER BEND PARK LAUNCH

ID#: 143347

Project No:

Sample Location: ROCK RIVER - RIVER BEND PARK LAUNCH

Collection End: 5/21/2018 4:15:00 PM

Sample Description:

Collection Start:

Sample Type: SU-SURFACE WATER

Collected By: DAVE BEHL

Waterbody: 788800

Date Received: 5/22/2018

Point or Outfall:

Date Reported: 5/23/2018

Sample Depth:

Sample Reason:

Program Code: WT

Region Code: 1

County: 14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 05/22/18 0932

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 05/22/18	Analysis Date 05/23/18				
E. Coli	SM9223BMPN	27	MPN/100 mL		1

## Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 383350001**

### List of Abbreviations:

LOD = Level of detection

LOQ = Level of quantification

ND = None detected. Results are less than the LOD

F next to result = Result is between LOD and LOQ

Z next to result = Result is between 0 (zero) and LOD

if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

### Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790    NELAP LAB ID: E37658    EPA LAB ID: WI00007, WI00008    WI DATCP ID: 105-415

**WSLH Sample: 383352001**

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SJIAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	HUSTISFORD SKI CLUB DOCK	ID#:	143344
Project No:		Sample Location:	HUSTISFORD SKI CLUB DOCK
Collection End:	5/11/2018 4:15:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	5/22/2018	Point or Outfall:	
Date Reported:	5/23/2018	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 05/22/18 0932

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date 05/22/18    Analysis Date 05/23/18					
E. Coli	SM9223BMPN	3	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
 LOQ = Level of quantification  
 ND = None detected. Results are less than the LOD  
 F next to result = Result is between LOD and LOQ  
 Z next to result = Result is between 0 (zero) and LOD  
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>  
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.  
 Results relate only to the items tested.  
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.  
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: E37658

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 383352001**

## Responsible Party

Microbiology: Sharon Kluender, Lab Manager, 608-224-6262

Inorganic Chemistry: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Metals: DeWayne Kennedy-Parker, Lab Manager, 608-224-6282

Organic Chemistry: Al Spallato, Lab Manager, 608-224-6269

Emergency Chemical Response: Noel Stanton, Lab Manager, 608-224-6251

Environmental Toxicology: Tracy Hanke, Lab Manager, 608-224-6270