

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836001

Report To:
DAVID BEHL
LAKE SINISSIPPI IMPROVEMENT DISTRICT
N5112 ARROWHEAD TRAIL
JUNEAU, WI 53039

Invoice To:
ZANA SIJAN
WISCONSIN DNR

Customer ID: FH015

Field #: HUSTISFORD SKI CLUB DOCK
Project No:
Collection End: 7/8/2019 2:14:00 PM
Collection Start:
Collected By: DAVE BEHL
Date Received: 7/9/2019
Date Reported: 7/10/2019
Sample Reason:

ID#: 143344
Sample Location: HUSTISFORD SKI CLUB DOCK
Sample Description:
Sample Type: SU-SURFACE WATER
Waterbody: 859900
Point or Outfall:
Sample Depth:
Program Code: WT
Region Code: 1
County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/09/19 1029

Microbiology

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|---------------------------|-------------------------------|--------|------------|-----|-----|
| Prep Date: 07/09/19 10:29 | Analysis Date: 07/10/19 10:34 | | | | |
| E. Coli | SM9223BMPN | 12 | MPN/100 mL | | 1 |

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836001

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: 2091 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836002

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #: NEIDER PARK LANDING
 Project No:
 Collection End: 7/8/2019 2:14:00 PM
 Collection Start:
 Collected By: DAVE BEHL
 Date Received: 7/9/2019
 Date Reported: 7/10/2019
 Sample Reason:

ID#: 143345
 Sample Location: NEIDER PARK LANDING
 Sample Description:
 Sample Type: SU-SURFACE WATER
 Waterbody: 859900
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/09/19 1029

Microbiology

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|---------------------------|-------------------------------|--------|------------|-----|-----|
| Prep Date: 07/09/19 10:29 | Analysis Date: 07/10/19 10:34 | | | | |
| E. Coli | SM9223BMPN | 15 | MPN/100 mL | | 1 |

List of Abbreviations:

LOD = Level of detection
 LOQ = Level of quantification
 ND = None detected. Results are less than the LOD
 F next to result = Result is between LOD and LOQ
 Z next to result = Result is between 0 (zero) and LOD
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
 Results relate only to the items tested.
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836002

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: 2091 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836003

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

| | | | |
|-------------------|------------------------|---------------------|------------------------|
| Field #: | RIVER BEND PARK LAUNCH | ID#: | 143347 |
| Project No: | | Sample Location: | RIVER BEND PARK LAUNCH |
| Collection End: | 7/8/2019 2:14:00 PM | Sample Description: | |
| Collection Start: | | Sample Type: | SU-SURFACE WATER |
| Collected By: | DAVE BEHL | Waterbody: | 788800 |
| Date Received: | 7/9/2019 | Point or Outfall: | |
| Date Reported: | 7/10/2019 | Sample Depth: | |
| Sample Reason: | | Program Code: | |
| | | Region Code: | |
| | | County: | 14 |

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/09/19 1029

Microbiology

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|---------------------------|-------------------------------|--------|------------|-----|-----|
| Prep Date: 07/09/19 10:29 | Analysis Date: 07/10/19 10:34 | | | | |
| E. Coli | SM9223BMPN | 41 | MPN/100 mL | | 1 |

List of Abbreviations:

LOD = Level of detection
 LOQ = Level of quantification
 ND = None detected. Results are less than the LOD
 F next to result = Result is between LOD and LOQ
 Z next to result = Result is between 0 (zero) and LOD
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
 Results relate only to the items tested.
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836003

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790 NELAP LAB ID: 2091 EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836004

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

| | | | |
|-------------------|---------------------|---------------------|------------------|
| Field #: | BUTTERNUT ISLAND | ID#: | 143348 |
| Project No: | | Sample Location: | BUTTERNUT ISLAND |
| Collection End: | 7/8/2019 2:14:00 PM | Sample Description: | |
| Collection Start: | | Sample Type: | SU-SURFACE WATER |
| Collected By: | DAVE BEHL | Waterbody: | 859900 |
| Date Received: | 7/9/2019 | Point or Outfall: | |
| Date Reported: | 7/10/2019 | Sample Depth: | |
| Sample Reason: | | Program Code: | WT |
| | | Region Code: | 1 |
| | | County: | 14 |

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/09/19 1029

Microbiology

| Analyte | Analysis Method | Result | Units | LOD | LOQ |
|---------------------------|-------------------------------|--------|------------|-----|-----|
| Prep Date: 07/09/19 10:29 | Analysis Date: 07/10/19 10:34 | | | | |
| E. Coli | SM9223BMPN | 3 | MPN/100 mL | | 1 |

List of Abbreviations:

LOD = Level of detection
 LOQ = Level of quantification
 ND = None detected. Results are less than the LOD
 F next to result = Result is between LOD and LOQ
 Z next to result = Result is between 0 (zero) and LOD
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.
 Results relate only to the items tested.
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

WSLH Sample: 455836004

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227