



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790      NELAP LAB ID: 2091      EPA LAB ID: WI00007, WI00008      WI DATCP ID: 105-415

**WSLH Sample: 465523001**

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	BUTTERNUT ISLAND	ID#:	143348
Project No:		Sample Location:	BUTTERNUT ISLAND
Collection End:	8/22/2019 4:00:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	8/23/2019	Point or Outfall:	
Date Reported:	8/24/2019	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 08/23/19 0940

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/23/19 09:40	Analysis Date: 08/24/19 10:53				
E. Coli	SM9223BMPN	69	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
 LOQ = Level of quantification  
 ND = None detected. Results are less than the LOD  
 F next to result = Result is between LOD and LOQ  
 Z next to result = Result is between 0 (zero) and LOD  
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>  
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.  
 Results relate only to the items tested.  
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.  
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 465523001**

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790      NELAP LAB ID: 2091      EPA LAB ID: WI00007, WI00008      WI DATCP ID: 105-415

**WSLH Sample: 465523002**

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	RIVER BEND PARK LAUNCH	ID#:	143347
Project No:		Sample Location:	RIVER BEND PARK LAUNCH
Collection End:	8/22/2019 4:00:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	788800
Date Received:	8/23/2019	Point or Outfall:	
Date Reported:	8/24/2019	Sample Depth:	
Sample Reason:		Program Code:	
		Region Code:	
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 08/23/19 0940

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/23/19 09:40	Analysis Date: 08/24/19 10:53				
E. Coli	SM9223BMPN	57	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
 LOQ = Level of quantification  
 ND = None detected. Results are less than the LOD  
 F next to result = Result is between LOD and LOQ  
 Z next to result = Result is between 0 (zero) and LOD  
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>  
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.  
 Results relate only to the items tested.  
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.  
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 465523002**

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790      NELAP LAB ID: 2091      EPA LAB ID: WI00007, WI00008      WI DATCP ID: 105-415

**WSLH Sample: 465523003**

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	HUSTISFORD SKI CLUB DOCK	ID#:	143344
Project No:		Sample Location:	HUSTISFORD SKI CLUB DOCK
Collection End:	8/22/2019 4:00:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	8/23/2019	Point or Outfall:	
Date Reported:	8/24/2019	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 08/23/19 0940

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/23/19 09:40	Analysis Date: 08/24/19 10:53				
E. Coli	SM9223BMPN	41	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
 LOQ = Level of quantification  
 ND = None detected. Results are less than the LOD  
 F next to result = Result is between LOD and LOQ  
 Z next to result = Result is between 0 (zero) and LOD  
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>  
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.  
 Results relate only to the items tested.  
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.  
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 465523003**

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

## Environmental Health Division

WDNR LAB ID: 113133790      NELAP LAB ID: 2091      EPA LAB ID: WI00007, WI00008      WI DATCP ID: 105-415

### WSLH Sample: 465523004

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #: NEIDER PARK LANDING  
 Project No:  
 Collection End: 8/22/2019 4:00:00 PM  
 Collection Start:  
 Collected By: DAVE BEHL  
 Date Received: 8/23/2019  
 Date Reported: 8/24/2019  
 Sample Reason:

ID#: 143345  
 Sample Location: NEIDER PARK LANDING  
 Sample Description:  
 Sample Type: SU-SURFACE WATER  
 Waterbody: 859900  
 Point or Outfall:  
 Sample Depth:  
 Program Code:  
 Region Code:  
 County: 14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 08/23/19 0940

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 08/23/19 09:40	Analysis Date: 08/24/19 10:53				
E. Coli	SM9223BMPN	9	MPN/100 mL		1

### List of Abbreviations:

LOD = Level of detection  
 LOQ = Level of quantification  
 ND = None detected. Results are less than the LOD  
 F next to result = Result is between LOD and LOQ  
 Z next to result = Result is between 0 (zero) and LOD  
 if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>  
 Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.  
 Results relate only to the items tested.  
 This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.  
 The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

Environmental Health Division

WDNR LAB ID: 113133790

NELAP LAB ID: 2091

EPA LAB ID: WI00007, WI00008 WI DATCP ID: 105-415

**WSLH Sample: 465523004**

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227