



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486001

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143344
Project No:		Sample Location:	HUSTISFORD SKI CLUB DOCK
Collection End:	4/20/2020 3:10:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	4/21/2020	Point or Outfall:	
Date Reported:	4/22/2020	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 04/21/20 1103

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 04/21/20 11:03	Analysis Date: 04/22/20 14:07				
E. Coli	SM9223BMPN	2	MPN/100 mL		1



**Wisconsin State
Laboratory of Hygiene**
UNIVERSITY OF WISCONSIN-MADISON

Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486001

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486002

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #: NA	ID#: 143345
Project No:	Sample Location: NEIDER PARK LANDING
Collection End: 4/20/2020 3:10:00 PM	Sample Description:
Collection Start:	Sample Type: SU-SURFACE WATER
Collected By: DAVE BEHL	Waterbody: 859900
Date Received: 4/21/2020	Point or Outfall:
Date Reported: 4/22/2020	Sample Depth:
Sample Reason:	Program Code:
	Region Code:
	County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 04/21/20 1103

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 04/21/20 11:03	Analysis Date: 04/22/20 14:07				
E. Coli	SM9223BMPN	<1	MPN/100 mL		1



**Wisconsin State
Laboratory of Hygiene**
UNIVERSITY OF WISCONSIN-MADISON

Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486002

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
 http://www.slh.wisc.edu

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486003

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143347
Project No:		Sample Location:	RIVER BEND PARK LAUNCH
Collection End:	4/20/2020 3:10:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	788800
Date Received:	4/21/2020	Point or Outfall:	
Date Reported:	4/22/2020	Sample Depth:	
Sample Reason:		Program Code:	
		Region Code:	
		County:	14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 04/21/20 1103

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 04/21/20 11:03	Analysis Date: 04/22/20 14:07				
E. Coli	SM9223BMPN	236	MPN/100 mL		1



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486003

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281
Metals: Graham Anderson, Supervisor 608-224-6281
Organics: Erin Mani, Supervisor 608-224-6269
Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230
Water Microbiology: Martin Collins, Supervisor 608-224-6239
Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486004

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143348
Project No:		Sample Location:	BUTTERNUT ISLAND
Collection End:	4/20/2020 3:10:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	4/21/2020	Point or Outfall:	
Date Reported:	4/22/2020	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 04/21/20 1103

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 04/21/20 11:03	Analysis Date: 04/22/20 14:07				
E. Coli	SM9223BMPN	12	MPN/100 mL	12	1



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 501486004

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227