



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248001

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #:	HUSTISFORD	ID#:	143344
Project No:		Sample Location:	HUSTISFORD SKI CLUB DOCK
Collection End:	7/13/2020 4:30:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	7/14/2020	Point or Outfall:	
Date Reported:	7/15/2020	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/14/20 1225

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 07/14/20 12:25	Analysis Date: 07/15/20 12:46				
E. Coli	SM9223BMPN	6	MPN/100 mL		1



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248001

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248002

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #: NEIDER PARK LANDING
 Project No:
 Collection End: 7/13/2020 4:30:00 PM
 Collection Start:
 Collected By: DAVE BEHL
 Date Received: 7/14/2020
 Date Reported: 7/15/2020
 Sample Reason:

ID#: 143345
 Sample Location: NEIDER PARK LANDING
 Sample Description:
 Sample Type: SU-SURFACE WATER
 Waterbody: 859900
 Point or Outfall:
 Sample Depth:
 Program Code:
 Region Code:
 County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/14/20 1225

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 07/14/20 12:25	Analysis Date: 07/15/20 12:46				
E. Coli	SM9223BMPN	272	MPN/100 mL		1



**Wisconsin State
Laboratory of Hygiene**
UNIVERSITY OF WISCONSIN-MADISON

Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248002

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248003

Report To:
DAVID BEHL
LAKE SINISSIPPI IMPROVEMENT DISTRICT
N5112 ARROWHEAD TRAIL
JUNEAU, WI 53039

Invoice To:
ZANA SIJAN
WISCONSIN DNR

Customer ID: FH015

Field #: RIVER BEND PARK
Project No:
Collection End: 7/13/2020 4:30:00 PM
Collection Start:
Collected By: DAVE BEHL
Date Received: 7/14/2020
Date Reported: 7/15/2020
Sample Reason:

ID#: 143347
Sample Location: RIVER BEND PARK LAUNCH
Sample Description:
Sample Type: SU-SURFACE WATER
Waterbody: 788800
Point or Outfall:
Sample Depth:
Program Code:
Region Code:
County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/14/20 1225

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 07/14/20 12:25	Analysis Date: 07/15/20 12:46				
E. Coli	SM9223BMPN	16	MPN/100 mL	16	1



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248003

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene
 2601 Agriculture Drive, PO Box 7996
 Madison, WI 53707-7996
 (800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248004

Report To:
 DAVID BEHL
 LAKE SINISSIPPI IMPROVEMENT DISTRICT
 N5112 ARROWHEAD TRAIL
 JUNEAU, WI 53039

Invoice To:
 ZANA SIJAN
 WISCONSIN DNR

Customer ID: FH015

Field #: BUTTERNUT ISLAND
 Project No:
 Collection End: 7/13/2020 4:30:00 PM
 Collection Start:
 Collected By: DAVE BEHL
 Date Received: 7/14/2020
 Date Reported: 7/15/2020
 Sample Reason:

ID#: 143348
 Sample Location: BUTTERNUT ISLAND
 Sample Description:
 Sample Type: SU-SURFACE WATER
 Waterbody: 859900
 Point or Outfall:
 Sample Depth:
 Program Code: WT
 Region Code: 1
 County: 14

Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 07/14/20 1225

Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 07/14/20 12:25	Analysis Date: 07/15/20 12:46				
E. Coli	SM9223BMPN	5	MPN/100 mL		1



Wisconsin State Laboratory of Hygiene
2601 Agriculture Drive, PO Box 7996
Madison, WI 53707-7996
(800)442-4618 - FAX (608)224-6213
<http://www.slh.wisc.edu>

Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

WSLH Sample: 514248004

WDNR LAB ID:113133790 NELAP LAB ID:2091 EPA LAB ID:WI00007, WI00008 WI DATCP ID:105-415

List of Abbreviations:

LOD = Level of detection
LOQ = Level of quantification
ND = None detected. Results are less than the LOD
F next to result = Result is between LOD and LOQ
Z next to result = Result is between 0 (zero) and LOD
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227