



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

## WSLH Sample: 523252001

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143344
Project No:		Sample Location:	HUSTISFORD SKI CLUB DOCK
Collection End:	9/2/2020 4:30:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	9/3/2020	Point or Outfall:	
Date Reported:	9/4/2020	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

### Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 09/03/20 1116

### Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 09/03/20 11:16	Analysis Date: 09/04/20 07:55				
E. Coli	SM9223BMPN	46	MPN/100 mL		1



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

**WSLH Sample: 523252001**

WDNR LAB ID:113133790    NELAP LAB ID:2091    EPA LAB ID:WI00007, WI00008    WI DATCP ID:105-415

## List of Abbreviations:

LOD = Level of detection  
LOQ = Level of quantification  
ND = None detected. Results are less than the LOD  
F next to result = Result is between LOD and LOQ  
Z next to result = Result is between 0 (zero) and LOD  
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281  
Metals: Graham Anderson, Supervisor 608-224-6281  
Organics: Erin Mani, Supervisor 608-224-6269  
Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230  
Water Microbiology: Martin Collins, Supervisor 608-224-6239  
Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

**WSLH Sample: 523252002**

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143345
Project No:		Sample Location:	NEIDER PARK LANDING
Collection End:	9/2/2020 4:30:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	9/3/2020	Point or Outfall:	
Date Reported:	9/4/2020	Sample Depth:	
Sample Reason:		Program Code:	
		Region Code:	
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 09/03/20 1116

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 09/03/20 11:16	Analysis Date: 09/04/20 07:55				
E. Coli	SM9223BMPN	19	MPN/100 mL	19	1



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

**WSLH Sample: 523252002**

WDNR LAB ID:113133790    NELAP LAB ID:2091    EPA LAB ID:WI00007, WI00008    WI DATCP ID:105-415

## List of Abbreviations:

LOD = Level of detection  
LOQ = Level of quantification  
ND = None detected. Results are less than the LOD  
F next to result = Result is between LOD and LOQ  
Z next to result = Result is between 0 (zero) and LOD  
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281  
Metals: Graham Anderson, Supervisor 608-224-6281  
Organics: Erin Mani, Supervisor 608-224-6269  
Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230  
Water Microbiology: Martin Collins, Supervisor 608-224-6239  
Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
 http://www.slh.wisc.edu

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

## WSLH Sample: 523252003

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143347
Project No:		Sample Location:	RIVER BEND PARK LAUNCH
Collection End:	9/2/2020 4:30:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	788800
Date Received:	9/3/2020	Point or Outfall:	
Date Reported:	9/4/2020	Sample Depth:	
Sample Reason:		Program Code:	
		Region Code:	
		County:	14

### Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 09/03/20 1116

### Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 09/03/20 11:16	Analysis Date: 09/04/20 07:55				
E. Coli	SM9223BMPN	77	MPN/100 mL		1



**Wisconsin State  
Laboratory of Hygiene**  
UNIVERSITY OF WISCONSIN-MADISON

Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

**WSLH Sample: 523252003**

WDNR LAB ID:113133790    NELAP LAB ID:2091    EPA LAB ID:WI00007, WI00008    WI DATCP ID:105-415

## List of Abbreviations:

LOD = Level of detection  
LOQ = Level of quantification  
ND = None detected. Results are less than the LOD  
F next to result = Result is between LOD and LOQ  
Z next to result = Result is between 0 (zero) and LOD  
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281  
Metals: Graham Anderson, Supervisor 608-224-6281  
Organics: Erin Mani, Supervisor 608-224-6269  
Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230  
Water Microbiology: Martin Collins, Supervisor 608-224-6239  
Radiochemistry: David Webb, Division Director 608-224-6227



Wisconsin State Laboratory of Hygiene  
 2601 Agriculture Drive, PO Box 7996  
 Madison, WI 53707-7996  
 (800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

## WSLH Sample: 523252004

Report To:  
 DAVID BEHL  
 LAKE SINISSIPPI IMPROVEMENT DISTRICT  
 N5112 ARROWHEAD TRAIL  
 JUNEAU, WI 53039

Invoice To:  
 ZANA SIJAN  
 WISCONSIN DNR

Customer ID: FH015

Field #:	NA	ID#:	143348
Project No:		Sample Location:	BUTTERNUT ISLAND
Collection End:	9/2/2020 4:30:00 PM	Sample Description:	
Collection Start:		Sample Type:	SU-SURFACE WATER
Collected By:	DAVE BEHL	Waterbody:	859900
Date Received:	9/3/2020	Point or Outfall:	
Date Reported:	9/4/2020	Sample Depth:	
Sample Reason:		Program Code:	WT
		Region Code:	1
		County:	14

## Sample Comments

Analyzed past the 8 hours holding time: Method SM9223BMPN analyzed on 09/03/20 1116

## Microbiology

Analyte	Analysis Method	Result	Units	LOD	LOQ
Prep Date: 09/03/20 11:16	Analysis Date: 09/04/20 07:55				
E. Coli	SM9223BMPN	<1	MPN/100 mL		1



Wisconsin State Laboratory of Hygiene  
2601 Agriculture Drive, PO Box 7996  
Madison, WI 53707-7996  
(800)442-4618 - FAX (608)224-6213  
<http://www.slh.wisc.edu>

# Laboratory Report

Environmental Health Division

D.F. Kurtycz, M.D., Medical Director - Prof. James J. Schauer, Ph.D., Director

**WSLH Sample: 523252004**

WDNR LAB ID:113133790    NELAP LAB ID:2091    EPA LAB ID:WI00007, WI00008    WI DATCP ID:105-415

## List of Abbreviations:

LOD = Level of detection  
LOQ = Level of quantification  
ND = None detected. Results are less than the LOD  
F next to result = Result is between LOD and LOQ  
Z next to result = Result is between 0 (zero) and LOD  
if LOD=LOQ, Limits were not statistically derived

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes

see <http://www.slh.wisc.edu/about/compliance/nelac-laboratory-accreditation>

Results, LOD and LOQ values have been adjusted for analytical dilutions and percent moisture where applicable.

Results relate only to the items tested.

This Laboratory Report shall not be reproduced except in full, without written approval of the laboratory.

The water microbiology unit analyzes samples as received and not all samples are tested for preservation before analysis is performed.

## Responsible Party

Inorganic Chemistry: Graham Anderson, Supervisor 608-224-6281

Metals: Graham Anderson, Supervisor 608-224-6281

Organics: Erin Mani, Supervisor 608-224-6269

Environmental Toxicology: Dawn Perkins, Supervisor 608-224-6230

Water Microbiology: Martin Collins, Supervisor 608-224-6239

Radiochemistry: David Webb, Division Director 608-224-6227